ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)

Volume 12 Issue 11 November 2025

Adaptive User-Driven Innovation (AUDI): A Hybrid User-Driven Innovation Framework for Medical Device Design in the Indian Healthcare Context

[1] Siddhant Shrivastava, [2] Janakarajan Ramkumar

[1] School of Interdisciplinary Design & Innovation, Indian Institute of Information Technology, Design and Manufacturing, Kancheepuram, Chennai, India

[2] Department of Design, Indian Institute of Technology Kanpur, Uttar Pradesh, India

Email: [1] siddhantshrivastava6@gmail.com, siddshri@iiitdm.ac.in, [2] jrkumar@iitk.ac.in

***Abstract*— This paper presents a novel approach to the design and development of medical devices through the Adaptive User-Driven Innovation (AUDI) methodology, specifically framed to meet India's unique healthcare demands and industry landscape. The AUDI methodology, combining elements of Design Thinking, TRIZ, Lean Startup, User-Centered Design, Agile development and Reverse Engineering, creates a hybrid approach that addresses the limitations of conventional design frameworks. It emphasizes user empathy, iterative innovation, and regulatory alignment, making it suitable for the multidisciplinary and compliance-heavy field of medical device design.**

The proposed methodology's structured approach enhances affordability, adaptability, and usability for underserved rural healthcare sectors while supporting the growing medical tourism industry. With a focus on rapid prototyping, rigorous validation, and market fit, the AUDI framework supports ethical standards and data security, ensuring safe and effective devices. This research aims to establish AUDI as a model for scalable, high-quality medical device innovation in India, aligning with government initiatives and fostering a self-reliant industry capable of meeting both domestic needs and global market demands.

***Index Terms*— Agile, AUDI, Design Thinking, ISO, Lean Startup, Regulatory Clearance in Medical Devices, Reverse Engineering, TRIZ, User-Centered Design**

I. INTRODUCTION

In healthcare, the design and development of innovative medical devices play a pivotal role in addressing critical challenges and improving patient care. The continuous advancements in technology, with the increasing demand for efficient and patient-centered healthcare solutions, have propelled the need for novel medical devices that can enhance treatment outcomes, address specific challenges, enhance diagnostic capabilities, improve treatment efficacy, and enhance patient comfort. The medical device sector in India is set to be enhanced as the country's demographic dynamics, increased healthcare spending, and government initiatives aimed at supporting indigenous innovation will boost this sector. India is projected to have a population of 1.6 billion by 2050, which is going to have vast health needs, and the demand for accessible, affordable medical devices is growing rapidly. By 2026, healthcare spending is expected to reach $372 billion, underscoring the need for an effective domestic medical device industry to meet this demand.

Currently, India imports approximately 80% of its medical devices, creating substantial reliance on global supply chains and subjecting the country to global price and availability fluctuations. In response, India has been steadily working to enhance its self-reliance through initiatives such as the Production Linked Incentive (PLI) scheme and policies aimed at promoting Atma Nirbhar Bharat (Self-Reliant India). India's medical device industry faces unique challenges. The sector is fragmented, with a high concentration of small and medium enterprises (SMEs) that struggle to navigate complex regulatory frameworks and access adequate funding for innovation. Furthermore, per capita medical device consumption in India remains extremely low at $3 USD, compared to $221 to $415 in more developed countries, highlighting an unmet need for affordable and accessible healthcare solutions. Additionally, the growing healthcare, particularly in rural areas where accessibility remains a challenge, points to the urgent need for adaptable, robust devices that can function in low-resource settings. Combined with the rise of medical tourism, which is projected to contribute $13 billion to the economy by 2026, and the potential for the sector to create 4 million jobs by 2025, the medical device market in India is on the threshold of a great transformation [1-12].

The medical device design process is notably multidisciplinary, requiring adherence to rigorous regulatory standards, emphasis on patient safety, and assurance of long-term reliability. This intricate process often involves significant testing and validation cycles to ensure devices perform accurately over time. While existing design methodologies like Design Thinking, TRIZ, Lean Startup, and User-Centric Design, and Agile have shown success in

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 12 Issue 11 November 2025

various sectors, they fall short in addressing the specific challenges encountered in medical device design. The conventional product development methodologies may emphasize speed and agility, which are often incompatible with the thorough testing, user-centeredness and regulatory compliance essential in medical device design. Furthermore, given the direct impact of medical devices on human health, ethical considerations such as data security, privacy, and user sensitivity are critical, often exceeding the standards required in other fields.

To address these limitations, this paper proposes a new hybrid methodology for medical device development, which synthesizes elements of multiple design methodologies to enhance suitability and adaptability for medical device innovation. The AUDI (Adaptive User-Driven Innovation) methodology brings a novel approach to biomedical device development by integrating multiple proven design and innovation frameworks into a unified, adaptive process. While existing methodologies, such as Bio design and others, offer effective pathways for medical device development, they often focus on specific stages of the product lifecycle, such as problem identification, iterative prototyping, or regulatory pathways, rather than offering a fully integrated process that encompasses user needs, technical innovation, and market fit within a single adaptable framework.

This AUDI approach includes focused design stages, extended testing and validation phases, user-centric adaptations incorporating clinical insights, cost-effective scalability, and rigorous data security and ethical standards. The proposed methodology considers India's specific needs, including rural healthcare accessibility, affordability, and regulatory alignment, to foster a robust ecosystem for medical device innovation. This methodology thus aims at reducing its import dependency, enhancing domestic manufacturing to make India hold a good position in the global medical device sector through practical solutions to meet India's healthcare challenge.

Through a systematic examination of the proposed methodology, this research's to the evolving discourse on medical device development, presenting a framework that aligns with the nuances of the healthcare landscape. By fostering innovation, regulatory alignment, and affordability, this methodology seeks to enable the creation of safe, accessible, and effective medical devices suited to the diverse needs of healthcare system.

II. OVERVIEW OF TRADITIONAL METHODOLOGIES

The following section gives an overview of the few existing methodologies used in the design and development of the products:

A. Design Thinking

DT [13, 14] is a problem-solving technique that prioritizes human-centeredness, iteration, and the key values of empathy, creativity, and cooperation. It is a mindset and a structured process that seeks to understand and address complex problems in empathetic ways. DT originated in the 1960s at Stanford University, primarily driven by the work of engineers David Kelley and Terry Winograd. There were five key stages [15] (Fig. 1):

- Empathize: It involves deeply understanding the people you are designing for. This includes observing and engaging with end-users, stakeholders, and customers to empathize with their needs, pain points, motivations, and aspirations.
- Define: In this stage, the insights gathered during the empathize stage are analyzed and synthesized to define the core problem statement or the "point of view." This involves reframing the problem in a human-centered way, ensuring that it reflects the true needs and challenges of the users.
- Ideate: The ideation stage is about generating a wide range of possible solutions. Cross-functional teams come together to brainstorm and explore various creative ideas. Ideation techniques such as brainstorming, mind mapping, and sketching are commonly used to encourage divergent thinking.



Fig. 1: Design Thinking Methodology, five stages

- Prototype: In this stage, the best ideas generated during ideation are transformed into tangible prototypes or representations of the potential solutions. The key is creating quick, low-cost prototypes, allowing rapid testing and iteration.
- Test: The final stage involves testing the prototypes with the end-users to gather feedback and insights. The feedback loop in the testing stage is crucial for understanding user reactions, preferences, and pain points, which inform further ideation and prototyping.

It's important to note that DT is not a linear process, and the stages can be revisited and iterated as needed. The emphasis on iteration and rapid prototyping allows for constant improvement and adaptation based on user feedback.

B. TRIZ Methodology

TRIZ, or the Theory of Inventive Problem Solving [16, 17], was developed by Genrich Altshuller in the mid-20th century as a systematic approach to solving engineering and technical problems. At its core, TRIZ is built on the premise that inventive solutions to complex problems can be methodically analyzed and synthesized using a set of principles and patterns. By understanding these patterns, TRIZ can help inventors come up with new and creative solutions to problems. It is based on converting a complex or particular problem into a general problem, solving the general problem,

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 12 Issue 11 November 2025

and then applying the general solution to the specific problem (Fig. 2). TRIZ uses various tools and techniques to help inventors solve problems, which include [18]:




Fig. 2: TRIZ Methodology for solving the problem

- The 39 Technical Contradictions: Technical contradictions are situations where two desirable goals conflict with each other. The Altshuller Matrix, or TRIZ Matrix, or Contradiction Matrix works based on the contradiction that improving one parameter of the system leads to worsening (needing to be preserved) other parameters. The TRIZ contradiction matrix using technical contradiction can give a standard solution to the specified problem.
- The 40 Inventive Principles: The 40 Inventive Principles are a set of general principles that can be used to solve problems. Each principle is a different way of looking at a problem and can be used to generate new ideas for solutions.
- The Ideal Final Result (IFR): It is a description of the perfect solution to a problem. Describing the perfect solution leads to a better understanding of the problem and the goals to achieve.
- Based on the 39 universal parameters for the TRIZ technical contradiction [19], the contradictions were selected based on their worsening and improving features, and using the TRIZ matrix among the 40 inventive principles, some principles were shortlisted that may be used in subsequent design activities and assist in preserving the worsened parameter by either nullifying the effect or resolving the contradiction.




Fig. 3: Flow chart for TRIZ Methodology

C. Lean Startup Methodology

The LS methodology [20, 21] is a contemporary approach to entrepreneurship and product development that prioritizes agility and adaptability and was developed by Eric Ries. Essentially, this methodology is a response to traditional, time-consuming product development processes that often result in costly failures. Composed of three words (Fig. 3):

- Lean: To optimize the resources and minimize the waste by efficient working.
- Startup: Any institution or product development process that works on a new product having uncertainty in usage, implementation by the users.
- Methodology: A set of Principles used to gather information and insights in a systematic order.

The core idea behind the LS methodology is to minimize the time and resources spent on building products that customers may not want or need (in the future) [22]. It encourages a scientific approach to developers, where assumptions and hypotheses are tested and validated through quick and low-cost experiments.

In this study, employing the LS methodology, the primary focus was on harnessing secondary research to gather information and insights relevant to the project. The following outlines the research process [52] (Fig. 4):

- Information Gathering: The initial phase involves systematically exploring existing literature, market reports, and available data to establish a comprehensive understanding of the problem space and to identify potential research opportunities.
- Build: It denoted the development of the research framework and strategy based on the insights acquired from secondary research. The formulated hypotheses and research questions guide the investigation.
- Measure: It entailed the systematic collection of data and empirical evidence to assess and validate the hypotheses. Various research methods were employed, including surveys, interviews, and data analysis, to gather relevant information.
- Learn: In the "Learn" phase, the data collected during the "Measure" stage was analyzed. The primary aim was to derive meaningful conclusions, either confirm or refine the initial hypotheses, and gain deeper insights into the problem or opportunity.

It is a cyclic process and is used till good conclusive results are obtained. The detailed flow chart for the implementation of the LS methodology is shown in Fig. 5.




Fig. 4: Build Measure Learn Process of Lean Methodology

ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)

Volume 12 Issue 11 November 2025




Fig. 5: Generalized Flow Chart for Lean Startup Methodology

D. User-Centric Design Approach

User-centric design, also referred to as user-centered design (UCD) [23, 24, 25], is an approach to product development and design that prioritizes the end user throughout the entire design process. It places a strong emphasis on understanding the needs, preferences, behaviours, and experiences of the individuals who will interact with the product or system being created.

The fundamental principles and activities associated with user-centric design encompass:

- User Research: Deep insights into target users' objectives, challenges, and behaviours through methods like interviews, surveys, and observations.
- Persona Development: Creating detailed user personas to guide design choices and empathize with users' unique needs.
- Prototyping and Iteration: Continuous improvement through creating and refining prototypes based on user feedback.
- Usability Testing: Evaluating product usability through user testing to identify areas for improvement.
- Accessibility: Ensuring product accessibility for users with disabilities, addressing visual, auditory, and motor impairments.
- User-Centered Evaluation: Consistent assessment of design alignment with user needs and expectations.
- User Feedback Integration: Actively seeking and integrating user feedback throughout development, including post-launch refinements.

This methodology is widely employed across various domains, encompassing web and application design, product design, industrial design, and software development. User-centric design bolsters user satisfaction, encourages product adoption, and augments overall market success (Fig. 6).




Fig. 6: User Centric Design Methodology

E. Reverse Engineering

Reverse engineering [26, 27] is a process that involves dissecting and analyzing an existing product or system to understand how it works, to gain insights for improvement, replication, or troubleshooting. This approach does not involve copying or stealing intellectual property but rather focuses on comprehending the underlying principles, components, and functionalities of a device or system. It is often employed to enhance or modify existing products, explore innovative design possibilities, or troubleshoot issues (Fig. 7). Reverse engineering is a valuable tool in various industries, including technology, manufacturing, and automotive, allowing engineers and designers to gain valuable insights and knowledge for further development and innovation while respecting intellectual property rights [28].




Fig. 7: Reverse Engineering Methodology

Frugal innovation [29] leads to the development of cost-effective and resource-efficient solutions that address complex challenges and meet the needs of underserved populations. It allows for the enhancement of device performance, reliability, and safety.

ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)

Volume 12 Issue 11 November 2025

F. Agile Methodology

The Agile methodology [30] is a set of principles and practices that focus on iterative development, collaboration, and flexibility, allowing teams to quickly adapt to changes in project requirements. It emphasizes delivering small, functional parts of a project in short cycles, known as sprints, rather than waiting to deliver a fully completed project at once. It's a framework that embraces the unpredictable nature of development by focusing on flexibility, incremental progress, and quick adaptation to user needs. Agile's core methodologies guide teams to stay responsive, user-focused, and efficient in project development (Fig. 8).




Fig. 8: Agile Development Methodology

III. CHALLENGES IN MEDICAL DEVICE DEVELOPMENT WITH TRADITIONAL METHODOLOGY

Current design methodologies were effective in various industries, but upon implication of than in medical device development, specific challenges were observed:

- Patient Safety and Regulatory Compliance: Unlike consumer products, medical devices have direct health implications, requiring strict adherence to standards like ISO 13485 and FDA guidelines. Failure in these devices can be life-threatening, demanding rigorous risk assessments, fail-safe designs, and extensive validation processes that are not central to standard Agile or Design Thinking frameworks.
- Long-Term Reliability and Testing: Medical devices are expected to function accurately over long periods, often in challenging environments. Iterative methods favor rapid prototyping but may lack the durability and biocompatibility testing essential for medical applications, which must withstand sterilization and heavy use. A medical device-focused methodology would include rigorous performance testing under real-world conditions.
- Ethical and User-Sensitivity Needs: Traditional user-centric methods require adaptation for medical devices to ensure accessibility and usability across diverse, often vulnerable populations. Medical devices must be ergonomic and accessible, especially for elderly or physically challenged patients, with a focus on patient privacy and safety.
- Clinical and Specialized Input: Medical devices require collaboration not only with designers but with healthcare professionals for clinical insights. A dedicated methodology for medical devices would involve continuous clinical collaboration, essential for aligning the device's functionality with real-world clinical needs.

A. India-Specific Needs

In India, the need for affordable and accessible healthcare solutions poses unique design challenges:

- Cost-Effective and Scalable Solutions: India's vast healthcare needs demand low-cost devices with reliable, long-lasting performance. A dedicated methodology would integrate cost-effective design principles without compromising quality or safety, along with local manufacturing.
- Adaptation for Rural Healthcare: Devices must function in low-resource, rural settings, necessitating designs that are rugged, portable, and maintenance-free. Standard methodologies overlook these factors, underscoring the need for an India-tailored approach.
- Localized Compliance and Regulatory Frameworks: India's evolving regulations, such as the Medical Device Rules 2017, require a methodology that embeds compliance with local standards at each development stage, minimizing delays in market entry.

B. Usage of Traditional Design Methodologies

Under different aspects, these methods can be adopted, i.e., DT is an early-stage adopting method which can be used to create a product starting from the problem identification; it is one of the most effective design methods used today. Similarly, Lean Startup can be employed when the need is there, but there is uncertainty. The user-centric design is also used when there is not much empathy required a general statement is already defined. TRIZ is used to get more ideations, i.e., quick solutions for the general statement of the problem. The RE is more effective in the prototyping stage, where the current devices were modified as per the needs of the user. Agile is required when we need to develop with fewer constraints. Table 1 & Fig. 9 show the generalized use case scenarios and adaptability of the various design methods.




Fig. 9: Product Development cycle of various methodologies

ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)

Volume 12 Issue 11 November 2025

Table 1: Generalized use case scenarios of Various Methodologies

Scenario	Optimal Design Methodology (Primary)	Secondary Considerations	Rationale
Critical device with user interface, complex & urgent challenges	Design Thinking	User-Centered Design, Lean Startup	Adaptable, rapid iteration, user empathy, fast development. Requires a strong interdisciplinary team. UCD for specific user needs, Lean Startup for market fit validation.
Completely new solution and problem definition required	TRIZ	User-Centered Design	Quick method for innovative solutions. UCD can help refine problem definition based on user needs.
Enhance the reusability & effectiveness of existing devices.	Reverse Engineering	Design Thinking	Analyze existing solutions for targeted improvements and optimizations. Design Thinking can help identify new functionalities or user needs.
Problem modification needed, user acceptance uncertain, and high market competition	Lean Startup	Design Thinking	Focuses on rapid iteration and customer needs for market success. Design Thinking can help validate initial problem definition and potential solutions.
Software-driven medical device with complex functionality	Design Thinking	User-Centered Design, Agile Development	Adaptable, user empathy, and iterative development. UCD for specific user needs, Agile for faster software development cycles.
Specific user group with well-defined problem & pain points	User-Centered Design	Design Thinking	Close user interaction throughout the process ensures the final product addresses their specific needs.

A specialized methodology for the development of a medical device should include regulatory-focused stages, extended testing cycles, clinical-centered user research, affordable design strategies, Specific user needs, and a long-term solution. This would support the development of reliable, compliant medical devices tailored to India's diverse healthcare environment, fostering affordable innovation and addressing the limitations of conventional design methods.

IV. PROPOSED HYBRID METHODOLOGY FOR MEDICAL DEVICE DEVELOPMENT

A hybrid methodology was made for the development of medical Devices by combining the best aspects of Design Thinking, TRIZ, Lean Startup, User-Centered Design (UCD), and Reverse Engineering. Agile methods, we can leverage the strengths of each methodology to address the complexities of biomedical product development. The new theory can be termed " Adaptive User-Driven Innovation " (AUDI). This theory integrates rapid development cycles, systematic problem-solving, and iterative user feedback with a strong emphasis on innovation and usability for the design & development of medical devices.

A. Core Components of the AUDI Theory

1) Iterative Problem Solving and Innovation (TRIZ & Design Thinking)

- Design Thinking for Problem Framing and Ideation: Design Thinking is employed to frame the problem with empathy, ensuring that the user's needs and challenges are at the core of development. It also facilitates the ideation process, helping create a human-centric solution.
- TRIZ for Innovation: TRIZ serves as the foundation for identifying innovative solutions. This phase helps in solving technical contradictions and generating novel ideas quickly.

2) User-Centered Validation and Feedback Loops (UCD & Lean Startup)

- User-Centered Design and Lean Startup for Rapid Prototyping and Market Validation: The entire process will ensure that users (patients, healthcare professionals) are involved in every phase of the development. This phase integrates user testing, feedback, and iterations to refine the design based on real-world usage scenarios via rapid prototyping and market validation through Minimum Viable Products (MVPs)..

3) Fast-Track Improvement through Existing Knowledge (Reverse Engineering)

- Reverse Engineering: In biomedical device development, Reverse Engineering can be applied to understand and improve upon existing solutions. By analyzing successful devices, teams can identify what works and what does not, and apply this knowledge to their designs.

4) Speed, Adaptability, and Compliance (Agile Development & Regulatory Integration)

- Agile Development: While Lean Startup focuses on MVPs, Agile Development enables the team to be flexible

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 12 Issue 11 November 2025

and adapt to changes throughout the project. For biomedical devices, this is particularly important to stay compliant with evolving regulations while maintaining product quality.

- Regulatory Integration: A specific addition for biomedical devices is integrating regulatory feedback loops early in the process to ensure compliance with FDA or CE standards. This step will ensure that the fast-paced development doesn't overlook safety, efficacy, or legal requirements.

By combining all the positive aspects of the various design methodologies at different phases of the Product development, Adaptive User-Driven Innovation, i.e., AUDI process, is developed as shown in Fig. 10.




Fig. 10: AUDI method Framework




Fig. 11: Flow chart of the AUDI Development process at different phases of product development

B. Steps of Applying the AUDI Methodology

The detailed steps at different phases of the design and development of the medical device in the AUDI methodology are described in detail in Fig. 11.

1) User Empathy & Problem Definition

- Primary Methodology: Design Thinking
- Goal: Develop a deep understanding of the problem space.
- Actions: Conduct interviews with patients, healthcare professionals, and other stakeholders to gather insights.
- Output: User personas, problem statements, and initial ideas.

2) Ideation & Innovation

- Primary Methodology: TRIZ
- Goal: Generate innovative ideations to complex biomedical challenges.
- Actions: Use TRIZ to identify contradictions in current devices or processes and solve them. Facilitate workshops with interdisciplinary teams (engineers, designers, clinicians) to ideate solutions.
- Output: A pool of innovative ideas, concepts, and possible prototypes.

3) Case 1: Rapid Prototyping & User Testing

- Primary Methodology: Lean Startup
- Goal: Develop rapid prototypes based on the most promising concepts.
- Actions: Create a series of low-fidelity prototypes (MVPs), test them with real users, and gather feedback. Iteratively refine the prototypes based on feedback.
- Output: MVPs that have been validated by actual users, reducing the risk of failure in later stages.

4) Case 2: Reverse Engineering for Refinement

- Primary Methodology: Reverse Engineering
- Goal: Improve existing solutions or integrate proven designs.
- Actions: Analyze existing biomedical devices that address similar problems. Use TRIZ to improve upon their functionality, ergonomics, or safety features.
- Output: Enhanced prototypes or new designs that combine the best aspects of proven solutions with novel innovations.

5) Iterative Development & Market Fit

- Primary Methodology: Lean Startup + Agile Development
- Goal: Ensure market viability and readiness for scaling.
- Actions: Use Lean Startup principles to gather market feedback, run customer discovery processes, and refine the product. Integrate Agile Development to adapt to user demands and regulatory constraints.
- Output: A product that is user-tested, market-validated, and regulatory-compliant.

6) Regulatory Compliance & Finalization

- Primary Methodology: Agile + Regulatory Integration
- Goal: Achieve final approval for market entry.
- Actions: Work closely with regulatory bodies during the final phases of development, ensuring that the device meets necessary standards. Use Agile sprints to quickly address regulatory feedback.
- Output: A finished, compliant biomedical device ready for production and distribution.

ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)

Volume 12 Issue 11 November 2025

V. RESULTS AND DISCUSSIONS

In this research, the AUDI methodology was developed using the traditional methodologies for the development of medical devices. The table summarises the detailed steps for the AUDI process.

Table 2: Various methods, key actions, and outputs of the AUDI methodology

Stage		Primary Methodology	Secondary Methodology	Key Action	Output
1	User Empathy & Problem Definition	Design Thinking	User-Centered Design (UCD)	Conduct user research, interviews, and gather insights	User personas, problem statements, and initial ideas
2	Ideation & Innovation	TRIZ	Design Thinking	Identify contradictions in devices, interdisciplinary ideation	Innovative ideas, concepts, and early prototypes
3	Rapid Prototyping & User Testing	Lean Startup	User-Centered Design (UCD)	Build low-fidelity prototypes, test with users, gather feedback	User-validated MVPs
4	Reverse Engineering for Refinement	Reverse Engineering	TRIZ	Analyze existing devices, enhance functionality using TRIZ principles	Improved designs or enhanced prototypes
5	Iterative Development & Market Fit	Lean Startup	Agile Development	Market feedback, customer discovery, iterative product refinement	Market-validated, regulatory-ready prototypes
6	Regulatory Compliance & Finalization	Agile Development	Regulatory Integration	Work with regulatory bodies, ensure standards are met	Final regulatory-compliant product ready for production

The AUDI methodology's novelty lies in its multi-faceted, adaptive, and proactive approach to product development, particularly for biomedical devices. It provides an integrated pathway that not only fosters user-centered solutions but also drives technical innovation through TRIZ and leverages market feedback for rapid iteration and refinement. AUDI differs from existing biomedical device design methods by emphasizing continuous innovation, regulatory adaptability, and faster time-to-market, making it uniquely suited for developing cutting-edge biomedical devices in today's fast-paced, high-demand healthcare environment.

A. Advantages of the AUDI Theory

- Faster Development Cycles: Combining Lean Startup and Agile Development allows for rapid iteration, reducing the time to market for biomedical devices.
- User-Centered Innovation: Design Thinking and UCD ensure that the final product meets actual user needs and creates empathy-driven, human-centric devices.
- Systematic Problem Solving: TRIZ offers a structured approach to overcoming technical barriers, enhancing the innovative potential of biomedical devices.
- Optimized Through Reverse Engineering: Learning from existing successful designs enhances the effectiveness and safety of the devices.
- Regulatory Readiness: By integrating compliance throughout the process, the theory ensures smoother regulatory approval, a critical aspect of biomedical devices.

VI. FUTURE DIRECTIONS FOR MEDICAL DEVICE DESIGN METHODOLOGIES

The future of medical device design methodologies, particularly through the Adaptive User-Driven Innovation (AUDI) framework, promises a transformative approach to biomedical product development. By integrating the strengths of Design Thinking, TRIZ, Lean Startup, User-Centered Design, and Reverse Engineering, AUDI not only streamlines the design process but also enhances the credibility of solutions developed. Initial testing has shown promising results, indicating that this hybrid methodology effectively addresses the complexities inherent in medical device design while ensuring user-centricity and regulatory compliance. The adaptability of AUDI allows teams to rapidly iterate and innovate, making it a formidable tool for meeting the ever-evolving demands of the healthcare landscape.

As the healthcare industry continues to advance, the need for rigorous case studies showcasing the effectiveness of the AUDI methodology will become increasingly important. Future research will focus on expanding the application of AUDI across diverse medical device categories, enabling deeper insights into its efficacy and reliability. By documenting additional case studies, researchers can validate and refine the AUDI framework, fostering a robust body of knowledge that can be leveraged by design teams worldwide. This approach not only reinforces the reliability of solutions but also encourages collaborative innovation among

interdisciplinary teams, ultimately leading to the development of safer, more effective medical devices that better serve patients and healthcare providers alike.

VII. CONCLUSION

Traditional design methodologies have proven insufficient in addressing the unique challenges of medical device development, including the need for user-centered innovation, rapid iteration, and stringent regulatory compliance. These limitations necessitated the creation of the Adaptive User-Driven Innovation (AUDI) methodology, a comprehensive framework designed specifically to meet the demands of modern healthcare product development.

By integrating established methodologies such as Design Thinking, TRIZ, Lean Startup, Reverse Engineering, and Agile Development, the AUDI framework overcomes the constraints of traditional approaches. It provides a structured yet adaptive pathway for developing medical devices that are innovative, user-centric, and regulatory-compliant, ensuring faster time-to-market while maintaining high safety and effectiveness standards.

The key strength of the AUDI framework lies in its adaptability and proactive nature, allowing teams to iteratively refine prototypes, incorporate user feedback, and navigate complex regulatory landscapes. It emphasizes continuous improvement through systematic problem-solving and optimization, leveraging the best practices from existing devices while fostering innovations.

The methodology's ability to integrate diverse perspectives and ensure faster time-to-market provides a competitive edge in the fast-evolving biomedical sector. Early applications of the AUDI methodology have demonstrated its potential to streamline design processes, enhance user satisfaction, and meet stringent compliance requirements.

Looking forward, further validation of the AUDI framework through rigorous case studies and diverse applications across medical device categories will strengthen its reliability and effectiveness. This will pave the way for the development of safer, more efficient, and innovative devices, ultimately benefiting patients, healthcare providers, and the broader medical industry. The AUDI methodology thus represents a significant advancement in medical device design, fostering interdisciplinary collaboration and addressing the growing demands of modern healthcare systems.

REFERENCES

[1] Central Drugs Standard Control Organization (CDSCO). Website https://cdscomdonline.gov.in/ (accessed August 2022).
[2] Evangeline, L., Mounica, N.V.N., Reddy, V.S., Ngabhushanam, M.V., Reddy, D.N., and Bonthagarala, B., 2017. Regulatory process and ethics for clinical trials in India (CDSCO). The Pharma Innovation, 6(4, Part C), p.165.
[3] India Medical Device Rules, 2017. Ministry of Health and Family Welfare. Available at: https://cdsco.gov.in/opencms/resources/UploadCDSCOWeb/2022/m_device/Medical%20Devices%20Rules,%202017.pdf (accessed August 2022).
[4] Sharma, D. and Chandra, A., 2020. Medical Device Rules-2017, India: An Insight. Applied Clinical Research, Clinical Trials and Regulatory Affairs, 7(2), pp.126-134.
[5] Medical Device Registration in India, Morulaa. Jan. 28, 2016. https://morulaa.com/registration-services. (accessed August 2022).
[6] Aronson, J.K., Heneghan, C. and Ferner, R.E., 2020. Medical devices: definition, classification, and regulatory implications. Drug safety, 43, pp.83-93.
[7] Dang, Amit, and Jitendar Kumar Sharma. Economics of medical devices in India. Value in health regional issues 18 (2019): 14-17.
[8] World Health Organization. Medical Devices: Managing the mismatch: an outcome of the priority medical devices project: methodology briefing paper. No. WHO/HSS/EHT/DIM/10.10. World Health Organization, 2010.
[9] Markan, Suchita, and Yogmaya Verma. Indian medical device sector: Insights from patent filing trends. BMJ Innovations 3.3 (2017).
[10] Department of Pharmaceuticals, India. (2021-22). Annual Report 2021-22. https://pharmaceuticals.gov.in/sites/default/files/English%20Annual%20Report%202021-22%20%281%29.pdf. (accessed August 2022)
[11] Sharma, J.K. and Narang, R., 2011. Quality of healthcare services in rural India: the user perspective. Vikalpa, 36(1), pp.51-60.
[12] NITI Aayog. Investment Opportunities in the Healthcare Sector (March 2021). https://www.niti.gov.in/sites/default/files/202103/InvestmentOpportunities_HealthcareSector_0.pdf. (accessed August 2022)
[13] Dorst, Kees. The Core of 'Design Thinking'and Its Application. Design Studies, vol. 32, no. 6, 2011, pp. 521-532.
[14] Brown, Tim, and Wyatt, Jocelyn. Design Thinking for Social Innovation. Development Outreach, vol. 12, no. 1, 2010, pp. 29-43.
[15] Altman, Micah, Huang, Terry T., and Breland, Jessie Y. Design Thinking in Health Care. Preventing Chronic Disease, vol. 15, 2018.
[16] Gadd, Kevin. TRIZ for Engineers: Enabling Inventive Problem Solving. John Wiley & Sons, 2011.
[17] Orloff, Michael A. TRIZ. 2006.
[18] Ilevbare, Imaobong M., Probert, David, and Phaal, Robert. A Review of TRIZ, Its Benefits, and Challenges in Practice. Technovation, vol. 33, no. 2-3, 2013, pp. 30-37.
[19] Gao, C., Guo, L., Gao, F., & Yang, B. 2015. Innovation design of medical equipment based on TRIZ. Technology and Health care, 23(s2), S269-S276.
[20] Reis, Eric. The Lean Startup. Crown Business, 2011.
[21] Bortolini, R. F., Nogueira Cortimiglia, M., Danilevicz, A. D. M. F., & Ghezzi, A. 2021. Lean Startup: a comprehensive historical review. Management Decision, 59(8), 1765-1783.
[22] Blank, Steve. Why the Lean Start-Up Changes Everything. 2018, pp. 2016-2020.
[23] Abras, C., Maloney-Krichmar, D., & Preece, J. 2004. User-centered design. Bainbridge, W. Encyclopedia of Human-Computer Interaction. Thousand Oaks: Sage Publications, 37(4), 445-456.

[24] Chammas, A., Quaresma, M., & Mont'Alvão, C. 2015. A closer look at the user-centred design. Procedia Manufacturing, 3, 5397-5404.
[25] Fisher, Mark J., and Johansen, Ellen. Human-Centered Design for Medical Devices and Diagnostics in Global Health. Global Health Innovation, vol. 3, no. 1, 2020.
[26] Samuelson, Pamela, and Scotchmer, Suzanne. The Law and Economics of Reverse Engineering. Yale LJ, vol. 111, 2001, p. 1575.
[27] Wong, Keng. The Reverse Engineering Notebook. Diss., 1999.
[28] Le, C., Jos, V. S., Le, T. H., Lam, K., Soe, S., Zlatov, N.,& Pham, D. T. 2010. Medical reverse engineering applications and methods.
[29] Basu, R. R., Banerjee, P. M., & Sweeny, E. G. 2013. FRUGAL INNOVATION. Journal of Management for Global Sustainability, 1(2).
[30] Ilieva, S., Ivanov, P., and Stefanova, E., 2004, September. Analyses of an agile methodology implementation. In Proceedings. 30th Euromicro Conference, 2004. (pp. 326-333). IEEE.