ISSN (Online) 2456 -1304

International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026

Smart Circularity Framework for Plastic Waste Management in Chennai: Collection, Segregation, Material Recovery, and Innovative Resource Utilization Pathways

[1] Ashita Pravallika Paipuri, [2] Rufus Nathanael Patrick

[1] Vestas R&D Technology Chennai, India
[2] L&T PES Chennai, India
Email: [1] ashpai25072016@gmail.com, [2] rufuspatrick94@gmail.com

***Abstract*— Plastic waste management has become a critical urban sustainability challenge in rapidly developing cities such as Chennai, India. Although collection and recycling systems exist, inefficient segregation, contamination of recyclable materials, and limited high-value utilization pathways continue to reduce circularity and resource recovery efficiency. Emerging smart-city technologies and decentralized recycling approaches present opportunities to transform plastic waste management from a disposal-focused system into an integrated circular economy model.**

This study presents a conceptual smart circularity framework for plastic waste management in Chennai by combining waste collection analysis, segregation challenges, plastic composition assessment, circularity evaluation, and future-oriented innovation pathways. Major plastic waste streams including Polyethylene Terephthalate (PET), High-Density Polyethylene (HDPE), Polypropylene (PP), Low-Density Polyethylene (LDPE), and multilayer plastics were evaluated based on collection efficiency, recyclability, market demand, and environmental impact.

The study further proposes innovative approaches including AI-assisted waste segregation, dynamic waste collection systems, distributed micro-recycling hubs, digital plastic traceability concepts, and waste-to-engineering-material pathways. A Plastic Circularity Index (PCI) is introduced as a simplified framework for prioritizing plastic streams according to their circular economy potential.

The findings indicate that PET and HDPE demonstrate the highest circularity potential due to established recycling value chains and strong market demand, while multilayer plastics remain a major challenge because of low recyclability and contamination issues. The proposed framework highlights how smart technologies, decentralized recycling infrastructure, and engineering valorization pathways could significantly improve urban plastic circularity and resource recovery.

This work provides a future-oriented conceptual framework for municipalities, researchers, industries, and policymakers seeking to accelerate sustainable plastic waste management and circular economy implementation in Chennai and similar urban regions.

***Index Terms*— Circular Economy, Chennai, Recycling Innovation, Plastic Circularity Index, Resource Recovery**

I. INTRODUCTION

Plastic waste has emerged as one of the most pressing environmental and urban sustainability challenges of the twenty-first century. Rapid urbanization, increasing consumerism, and widespread dependence on plastic-based packaging have significantly increased municipal plastic waste generation worldwide. A substantial proportion of this waste remains improperly managed, resulting in landfill accumulation, drainage blockage, marine pollution, and environmental degradation.

India is among the world's largest plastic-consuming nations, generating millions of tonnes of plastic waste annually. Although policies such as the Plastic Waste Management Rules and restrictions on selected single-use plastics have been introduced, practical implementation challenges remain significant. Poor segregation at source, contamination of recyclable plastics, limited recycling infrastructure, and uneven public participation continue to reduce material recovery efficiency.

Chennai, one of India's largest metropolitan cities, faces increasing pressure on its waste management infrastructure due to population growth, urban expansion, changing consumption patterns, and increasing packaging waste. During monsoon seasons, plastic accumulation in drainage systems further contributes to urban flooding and environmental leakage into coastal ecosystems.

Conventional waste management approaches primarily focus on waste collection and disposal rather than resource recovery and circularity. However, circular economy principles offer opportunities to redesign urban plastic systems through improved segregation, recycling, reuse, and valorization of waste materials into useful products.

Recent advances in smart-city technologies, artificial intelligence, decentralized recycling systems, and material recovery methods have created opportunities to reimagine urban plastic waste management systems. Concepts such as AI-assisted segregation, digital material traceability, distributed micro-recycling hubs, and waste-to-engineering-

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026

material pathways may enable cities to improve resource recovery while reducing environmental impact.

This study proposes a conceptual smart circularity framework for Chennai that integrates:

- Plastic waste composition analysis
- Collection and segregation assessment
- Circularity evaluation
- Smart waste management concepts
- Innovative recycling and material recovery pathways
- Waste-to-material utilization opportunities

The objectives of this study are:

- To analyze Chennai's plastic waste ecosystem
- To identify dominant plastic waste streams
- To assess circularity potential of different plastics
- To evaluate current collection and segregation challenges
- To propose innovative circular economy pathways for enhanced resource recovery
- To introduce a Plastic Circularity Index framework for Chennai

II. LITERATURE REVIEW

A. Plastic Waste Management in Urban India

Plastic waste management in Indian cities involves a combination of formal municipal systems and informal waste collection networks. Municipal corporations are responsible for primary collection and transportation, while waste pickers and scrap dealers play a major role in recovering recyclable plastics.

Previous studies indicate that inadequate segregation at source significantly reduces recycling efficiency. Contaminated plastics often become unsuitable for high-quality recycling and are diverted to landfills or low-value applications.

B. Circular Economy for Plastics

Circular economy principles aim to maximize material utilization while minimizing waste generation. The four major principles include:

- Reduce – minimizing unnecessary plastic consumption
- Reuse – extending product life cycles
- Recycle – converting waste into reusable materials
- Recover – extracting value through energy or material recovery

Circularity in plastics depends heavily on segregation quality, material purity, and economic feasibility of recycling.

C. Plastic Valorization Pathways

Plastic valorization refers to converting waste plastics into higher-value products. Common approaches include:

Mechanical Recycling:

- Shredding
- Washing
- Melting and reprocessing

Chemical Recycling:

- Pyrolysis
- Depolymerization
- Gasification

Waste-to-Materials Applications:

- Plastic lumber
- Construction blocks
- Composite materials
- 3D printing filament
- Road construction additives

D. Research Gap

Although multiple studies discuss plastic waste generation and recycling in India, limited city-level analysis exists linking plastic composition, segregation efficiency, and circular economy potential. Few studies specifically evaluate Chennai's dominant plastic streams and their suitability for high-value resource recovery pathways.

III. PLASTIC WASTE ECOSYSTEM IN CHENNAI

A. Sources of Plastic Waste

Plastic waste in Chennai originates from multiple sectors:

Residential Sources:

- Food packaging
- Bottles
- Carry bags
- Household containers

Commercial Sources:

- Retail packaging
- Delivery packaging
- Disposable products

Industrial Sources:

- Plastic scrap
- Packaging materials
- Manufacturing rejects

Institutional Sources:

- Educational institutions
- Hospitals
- Offices
- Public events

B. Collection Infrastructure

The Greater Chennai Corporation manages municipal waste collection through door-to-door collection systems and secondary transfer stations. However, the informal sector continues to play a critical role in recovering recyclable plastics.

The collection ecosystem includes:

- Municipal collection vehicles
- Waste pickers

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026

- Scrap dealers
- Aggregation centers
- Material recovery facilities (MRFs)

Informal waste collectors are particularly important for recovering PET bottles and HDPE containers due to their higher market value.

C. Current Segregation Practices

Segregation practices in Chennai remain inconsistent. Although source segregation has been promoted, mixed waste disposal remains common.

Primary segregation categories include:

- Wet waste
- Dry waste
- Domestic hazardous waste

Plastic segregation challenges include:

- Food contamination
- Mixing of recyclable and non-recyclable plastics
- Limited public awareness
- Low segregation compliance
- Difficulty handling multilayer plastics

IV. PLASTIC WASTE COMPOSITION ANALYSIS

Table 1: Estimated Plastic Waste Composition in Chennai from literature

Type	Share	Common Sources
PET	22%	Beverage bottles
HDPE	18%	Containers, detergent bottles
PP	27%	Food packaging, household products
LDPE	16%	Carry bags, films
Multilayer	17%	Snack packaging, Sachets

Polypropylene (PP) appears to constitute the largest share due to extensive use in packaging and consumer products. PET and HDPE demonstrate comparatively higher recycling rates because of established collection value chains.




Figure 1: Pie chart showing plastic composition percentages

V. CIRCULARITY ASSESSMENT

PET demonstrates the highest circularity potential due to strong recycling demand and relatively clean collection pathways. Multilayer plastics remain the most problematic due to mixed material composition and difficult separation processes.

Table 2: Circularity Assessment of Major Plastic Streams

Plastic	Collection Efficiency	Recyclability	Market Value	Circularity Potential
PET	High	High	High	Excellent
HDPE	High	High	Medium	High
PP	Medium	Medium	Medium	Moderate
LDPE	Low	Moderate	Low	Limited
MLP	Low	Difficult	Low	Difficult

VI. PROPOSED CIRCULAR ECONOMY FRAMEWORK

The proposed framework integrates the following stages:

Stage 1 – Waste Generation (Residential, commercial, industrial, and institutional plastic waste generation)

Stage 2 – Collection (Door-to-door collection, informal recovery, and aggregation)

Stage 3 – Segregation (Source segregation and secondary sorting at MRFs)

Stage 4 – Material Classification (Identification of PET, HDPE, PP, LDPE, and multilayer plastics)

Stage 5 – Recycling and Valorization (Mechanical recycling, chemical recycling, and material conversion)

Stage 6 – End-Use Applications:

- Recycled packaging
- Construction products
- Plastic lumber
- 3D printing filament
- Composite materials
- Engineering products



Figure 2: Proposed Circular Economy Framework

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026

VII. INNOVATIVE CIRCULAR ECONOMY PATHWAYS FOR CHENNAI

To enhance long-term sustainability and improve plastic circularity, this study proposes several innovative approaches that integrate smart technologies, decentralized recycling systems, citizen participation, and engineering valorization pathways. Although conceptual in nature, these approaches provide a future-oriented framework for improving resource recovery efficiency in Chennai.

A. Smart Plastic Identification and Digital Traceability

One of the major challenges in plastic recycling is improper segregation and lack of material traceability. This study proposes a "Plastic Passport" concept in which packaging materials contain digitally accessible information regarding polymer type, recyclability, and disposal pathways through QR-enabled labeling systems.

Such systems could improve segregation efficiency by enabling consumers and waste handlers to identify recyclable materials more accurately. Integration with mobile applications may further support citizen awareness and reward-based recycling systems.

B. AI-Assisted Waste Collection and Segregation

Current waste collection systems often follow fixed routing patterns without considering variations in waste generation. AI-assisted collection systems using fill-level sensors, dynamic routing algorithms, and seasonal waste pattern analysis could optimize collection efficiency while reducing transportation costs and emissions.

In addition, low-cost AI-assisted segregation kiosks using image recognition and spectral identification technologies could improve separation of PET, HDPE, PP, LDPE, and multilayer plastics at community-level collection centers.

C. Distributed Micro-Recycling Hubs

Centralized recycling facilities frequently face logistical and contamination challenges. This study proposes decentralized neighborhood-scale micro-recycling hubs capable of shredding, sorting, extrusion, and filament production.

Such systems could:

- Reduce transportation requirements
- Improve localized resource recovery
- Support startup ecosystems
- Enable community participation in circular economy activities

Micro-recycling systems may also support educational institutions and innovation centers through small-scale recycled material production.

D. Waste-to-Materials and Engineering Applications

Higher-value utilization pathways can significantly improve plastic circularity. Instead of limiting recycling to low-grade products, recovered plastics could potentially be utilized in:

- Construction panels
- Plastic lumber
- Composite boards
- 3D printing filament
- Lightweight engineering products

Future studies may further investigate the feasibility of using recycled plastics in renewable energy and infrastructure applications, including non-structural wind turbine subcomponents and urban utility systems.

E. Plastic Circularity Index for Chennai

To evaluate the circularity potential of different plastic streams, this study proposes a Plastic Circularity Index (PCI) based on:

- Collection efficiency
- Segregation efficiency
- Recyclability
- Market demand
- Environmental benefit

The PCI framework provides a simplified methodology for prioritizing plastic waste streams according to their resource recovery potential and sustainability impact.

F. Citizen Participation and Incentive Systems

Behavioral participation remains essential for effective segregation and recycling. This study proposes incentive-driven "Plastic Wallet" systems that reward households and institutions for improved segregation quality and recyclable plastic return rates.

Potential incentives may include:

- Public transport credits
- Utility bill discounts
- Local business reward points
- Community sustainability rankings

Such systems may encourage long-term public engagement in circular economy initiatives.

G. Chennai-Specific Circularity Opportunities

Chennai's coastal geography and monsoon-related flooding challenges make plastic leakage management particularly important. GIS-based plastic hotspot mapping, drainage accumulation analysis, and urban plastic leakage monitoring systems could support more targeted waste management interventions.

Integrating these technologies with circular economy frameworks may improve both environmental sustainability and urban resilience.

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026




Figure 3: Proposed Smart Circular Plastic Ecosystem Framework for Chennai

VIII. DISCUSSION

The findings of this study indicate that Chennai's plastic waste ecosystem presents both significant challenges and substantial circular economy opportunities. Polypropylene (PP) and PET constitute a major portion of the city's plastic waste stream due to increasing packaging consumption and urban commercial activity. Among the analyzed materials, PET demonstrates the highest circularity potential because of its relatively high collection efficiency, established recycling pathways, and strong market demand.

The study also highlights that the largest losses within the current system occur during segregation and material recovery stages. Inadequate source segregation, contamination of recyclable plastics, and limited processing infrastructure for low-value plastics significantly reduce recycling efficiency. Multilayer plastics remain one of the most difficult waste streams due to mixed material composition and limited economically viable recycling pathways.

The proposed smart circularity framework demonstrates that future improvements in plastic waste management may depend not only on expanding recycling capacity but also on integrating technology-enabled systems and decentralized resource recovery models. AI-assisted segregation, dynamic waste collection routing, and distributed micro-recycling hubs may improve recovery efficiency while reducing transportation and operational burdens.

In addition, the concept of converting recovered plastics into engineering materials, construction products, and additive manufacturing feedstock provides opportunities to increase the economic value of recycled plastics beyond conventional low-grade applications. Such approaches may strengthen the viability of circular economy implementation in urban regions.

The proposed Plastic Circularity Index (PCI) further provides a simplified decision-support framework for prioritizing plastic streams according to their recovery potential and sustainability impact. This framework may support municipalities and industries in developing targeted recycling and circularity strategies.

Although the study is conceptual and primarily based on literature, municipal reports, and circular economy principles, it establishes a scalable foundation for future field-based research, material flow analysis, GIS mapping, life-cycle assessment, and techno-economic evaluation of smart circularity systems in Chennai.

IX. RECOMMENDATIONS

Based on the findings of this study, several strategic recommendations are proposed to improve plastic circularity and resource recovery in Chennai.

A. Strengthen Source Segregation Systems

Improving segregation at source remains one of the most critical requirements for increasing recycling efficiency. Public awareness programs, standardized color-coded segregation systems, and community-level monitoring mechanisms should be expanded to reduce contamination of recyclable plastics.

Digital citizen engagement platforms and reward-based participation systems may further improve long-term segregation compliance.

B. Implement Smart Collection and Segregation Technologies

Future waste management systems in Chennai may benefit from smart-city integration approaches including:

- AI-assisted waste segregation
- Sensor-based collection monitoring
- Dynamic collection routing systems
- Image-recognition-based plastic identification

Such systems could improve operational efficiency while reducing transportation costs and material losses.

C. Expand Distributed Material Recovery Infrastructure

Instead of relying entirely on centralized recycling facilities, decentralized micro-recycling hubs may improve localized resource recovery and reduce logistics-related inefficiencies.

Community-scale recycling centers capable of sorting, shredding, extrusion, and filament production may support:

- Local circular economies
- Startup ecosystems
- Educational innovation programs
- Small-scale manufacturing applications

D. Develop High-Value Waste-to-Material Pathways

Recovered plastics should increasingly be directed toward higher-value utilization pathways rather than low-grade recycling applications. Potential opportunities include:

- Construction materials
- Plastic lumber
- Composite boards

ISSN (Online) 2456 -1304
International Journal of Science, Engineering and Management (IJSEM)
Volume 13 Issue 06 June 2026

- 3D printing filament
- Urban infrastructure products
- Engineering materials

Research partnerships between municipalities, industries, academic institutions, and startups may accelerate innovation in sustainable material applications.

E. Establish a Plastic Circularity Index for Chennai

The proposed Plastic Circularity Index (PCI) framework may be further developed into a city-level sustainability metric for evaluating:

- Collection efficiency
- Segregation quality
- Recycling potential
- Market demand
- Environmental impact

Such an index could support data-driven decision-making and prioritization of recovery strategies for different plastic streams.

F. Improve Management of Low-Value and Multilayer Plastics

Specialized strategies are required for low-value plastics and multilayer packaging materials due to their poor recyclability and low recovery rates. Potential approaches include:

- Dedicated collection systems
- Chemical recycling research
- Waste-to-energy integration
- Alternative packaging material development

G. Promote Circular Economy Innovation Ecosystems

Long-term sustainability may require the development of integrated circular economy ecosystems involving:

- Municipal authorities
- Informal waste sectors
- Recycling industries
- Research institutions
- Technology startups
- Citizen communities

Such collaborative ecosystems may accelerate innovation, improve material circularity, and support sustainable urban development.

H. Chennai-Specific Environmental Monitoring

Given Chennai's coastal geography and monsoon-related flooding vulnerabilities, future waste management strategies should incorporate:

- GIS-based plastic hotspot mapping
- Drainage plastic accumulation monitoring
- Coastal plastic leakage assessment
- Seasonal waste generation analysis

These measures may help reduce environmental leakage while improving urban resilience.

X. CONCLUSION

This study presented a conceptual smart circularity framework for plastic waste management in Chennai by integrating waste collection analysis, segregation assessment, circularity evaluation, and innovative resource recovery pathways.

The analysis identified PP and PET as major contributors to Chennai's plastic waste stream, while PET and HDPE demonstrated the highest circularity potential due to stronger recycling value chains and market demand. The study further highlighted that poor segregation efficiency and inadequate recovery systems remain major barriers to effective plastic circularity.

To address these challenges, the study proposed future-oriented approaches including:

- AI-assisted segregation systems
- Smart waste collection models
- Distributed micro-recycling hubs
- Digital plastic traceability concepts
- Waste-to-engineering-material pathways
- Plastic Circularity Index assessment

The proposed framework demonstrates how urban plastic waste systems may evolve from disposal-oriented management toward integrated circular resource ecosystems. Although the framework remains conceptual, it provides a foundation for future implementation-oriented studies involving field surveys, smart-city technologies, material recovery optimization, and engineering utilization of recycled plastics.

Future work may include experimental validation, GIS-based waste mapping, techno-economic assessment, machine-learning-assisted segregation systems, and evaluation of recycled plastics for engineering and infrastructure applications.

Plastic Circularity Index for Chennai

Table 3: Plastic Circularity Index Assessment

	C	S	R	M	E
PET	3	3	3	3	3
HDPE	3	2	3	2	3
PP	2	2	2	2	2
LDPE	1	1	2	1	2
Multilayer plastics	1	1	3	1	1

C – Collection Efficiency
S – Segregation Efficiency
R – Recyclability
M – Market Demand
E – Environmental benefit
High – 3; Medium – 2; Low - 1

Based on the assessment, PET ranks highest in overall circularity potential, followed by HDPE and PP. Multilayer plastics remain the least favorable due to recycling complexity and low recovery efficiency.

REFERENCES

[1] United Nations Environment Programme (UNEP), "Turning off the Tap: How the world can end plastic pollution and create a circular economy," UNEP Report, 2023.
[2] Central Pollution Control Board (CPCB), "Annual Report on Plastic Waste Management," Ministry of Environment, Forest and Climate Change, Government of India, 2022–2023.
[3] Ministry of Housing and Urban Affairs (MoHUA), "Manual on Municipal Solid Waste Management," Government of India, 2016.
[4] Greater Chennai Corporation, "Solid Waste Management Policy and Waste Management Initiatives," Chennai Corporation Reports and Public Documents, 2023.
[5] Central Institute of Petrochemicals Engineering and Technology (CIPET), "Plastic Waste Management and Recycling in India," CIPET Technical Report, 2021.
[6] Ellen MacArthur Foundation, "The New Plastics Economy: Rethinking the Future of Plastics," World Economic Forum Report, 2016.
[7] Ragaert, K., Delva, L., and Van Geem, K., "Mechanical and Chemical Recycling of Solid Plastic Waste," Waste Management, vol. 69, pp. 24–58, 2017.
[8] Hopewell, J., Dvorak, R., and Kosior, E., "Plastics Recycling: Challenges and Opportunities," Philosophical Transactions of the Royal Society B, vol. 364, no. 1526, pp. 2115–2126, 2009.
[9] Geyer, R., Jambeck, J. R., and Law, K. L., "Production, Use, and Fate of All Plastics Ever Made," Science Advances, vol. 3, no. 7, 2017.
[10] Singh, P., and Sharma, V. P., "Integrated Plastic Waste Management: Environmental and Improved Health Approaches," Procedia Environmental Sciences, vol. 35, pp. 692–700, 2016.
[11] Verma, R., Vinoda, K. S., Papireddy, M., and Gowda, A. N. S., "Toxic Pollutants from Plastic Waste – A Review," Procedia Environmental Sciences, vol. 35, pp. 701–708, 2016.
[12] Nandakumar, T., and Choi, S., "Urban Plastic Waste Management in India: Challenges and Opportunities," Sustainability, vol. 15, no. 4, 2023.
[13] Al-Salem, S. M., Lettieri, P., and Baeyens, J., "Recycling and Recovery Routes of Plastic Solid Waste," Waste Management, vol. 29, no. 10, pp. 2625–2643, 2009.
[14] Kumar, A., Agrawal, A., and Sharma, D., "Circular Economy Approaches for Plastic Waste Management in Developing Countries," Journal of Cleaner Production, vol. 276, 2020.
[15] PlastIndia Foundation, "Indian Plastics Industry Report," PlastIndia Publications, 2022.
[16] Tamil Nadu Pollution Control Board (TNPCB), "Status of Solid Waste and Plastic Waste Management in Tamil Nadu," TNPCB Environmental Report, 2022.
[17] Narayan, R., "Biodegradable and Compostable Alternatives to Conventional Plastics," Philosophical Transactions of the Royal Society B, vol. 364, pp. 2127–2139, 2009.
[18] OECD, "Global Plastics Outlook: Economic Drivers, Environmental Impacts and Policy Options," OECD Publishing, Paris, 2022.
[19] European Environment Agency (EEA), "Plastics, the Circular Economy and Europe's Environment," EEA Report No. 1/2021.
[20] World Bank, "What a Waste 2.0: A Global Snapshot of Solid Waste Management to 2050," World Bank Publications, 2018.